

## LISTINO MOTO EDIZIONE APRILE 2011

ETN	JIS code	Capacity [20h] (EN)	CCA -18°C (EN)	Dimensions [mm]			Layout	Pole	Weight with acid [kg]	Qty per carton	Listino al pubb. Iva esicusa	Listino al pubblico Iva inclusa
				L	W	H						
<b>gel-technology - 12 volt - filled and charged</b>												
519901017	-	19	170	186	82	173	- +	Y3	6,40	-	138,0	165,60
<b>AGM technology - 12 volt - with acid bottle</b>												
503014003	YT4L-4 YT4L-BS	3	30	114	71	86	- +	Y5	1,70	6	34,7	41,64
503903004	YTR4A-BS	3	40	114	49	86	+ -	Y12	1,30	10	65,8	78,96
504012003	YTX5L-4 YTX5L-BS	4	30	114	71	106	- +	Y5	2,10	6	39,4	47,28
506014005	YTX7L-4 YTX7L-BS	6	50	114	71	131	- +	Y5	2,80	6	48,0	57,60
506015005	YTX7A-4 YTX7A-BS	6	50	151	88	94	+ -	Y5	2,98	6	46,3	55,56
507901012	YT7B-4 YT7B-BS	7	120	150	66	94	+ -	Y11	2,80	6	71,0	85,20
507902011	YTZ7S-4 YTZ7S-BS	7	110	113	70	105	- +	Y5	2,27	6	78,2	93,84
508012008	YTX9-4 YTX9-BS	8	80	152	88	106	+ -	Y5	3,38	6	44,1	52,92
508901015	YTZ10S-4 YTZ10S-BS	8	150	150	87	93	+ -	Y11	3,40	6	96,0	115,20
509901020	YTZ12S-4 YTZ12S-BS	9	200	150	87	110	+ -	Y11	4,30	4	104,8	125,76
509902008	YT9B-4 YT9B-BS	9	80	149	70	105	+ -	Y11	3,30	4	78,4	94,08
510012009	YTX12-4 YTX12-BS	10	90	152	88	131	+ -	Y5	4,47	4	61,4	73,68
511901014	YT12A-4 YT12A-BS	11	140	150	88	105	+ -	Y5	3,80	4	88,2	105,84
511902023	YTZ14S-4 YTZ14S-BS	11	230	150	87	110	+ -	Y11	4,30	4	108,1	129,72
512014010	YTX14-4 YTX14-BS	12	100	152	88	147	+ -	Y5	5,02	4	78,0	93,60
512901019	YT12B-4 YT12B-BS	12	190	151	70	131	+ -	Y11	4,30	4	69,2	83,04
512903013	YT14B-4 YT14B-BS	12	130	152	70	150	+ -	Y11	4,70	4	95,1	114,12
514901022	YTX16-4-1 YTX16-BS-1	14	220	150	87	161	+ -	Y1	4,30	3	107,0	128,40
514902022	YTX16-4 YTX16-BS	14	220	150	87	161	+ -	Y4	4,30	3	107,0	128,40
518901026	YTX20L-4 YTX20L-BS	18	260	177	88	156	- +	Y4	6,86	3	95,1	114,12
518902026	YTX20-4 YTX20-BS	18	260	177	88	156	+ -	Y4	5,30	3	100,0	120,00

ETN	JIS code	Capacity [20h] (EN)	CCA -18°C (EN)	Dimensions [mm]			Layout	Pole	Weight with acid [kg]	Qty per carton	Listino al pubb. Iva esicusa	Listino al pubblico Iva inclusa
				L	W	H						
<b>FRESH PACK - standard technology - 12 volt - with acid bottle</b>												
504011002	YB4L-B	4	20	121**	71	93		Y5	1,84	30	17,7	21,24
507101008	GM7CZ-3D YB7C-A	7	80	130	90**	114		Y3	2,10	5	25,0	30,00
509014008	12N9-4B-1 YB9-B	9	80	136**	76	134		Y6	3,39	30	28,6	34,32
509016008	YB9L-A2	9	80	135**	75	139		Y2	2,20	5	34,0	40,80
512015012	YB12A-B	12	120	136**	82	162		Y6	3,20	5	44,0	52,80
514011014	12N14-3A YB14L-A2	14	140	136**	91	166		Y8	5,09	24	44,0	52,80
519013017	51913	19	170	186**	82	171		Y10	6,17	28	77,8	93,36
530030030	53030	30	300	186**	130	171		Y10	9,28	15	82,1	98,52
<b>FRESH PACK - standard technology - 6 volt - with acid bottle</b>												
004014001	6N4-2A-2 / 6N4-2A-4 6N4-2A-7 / 6N4A-2A-4	4	10	71**	71	96		K30	0,75	20	20,0	24,00
006012003	6N6-3B-1	6	30	100**	57	110		Y6	1,07	20	25,0	30,00
008011004	B49-6	8	40	91	83	161		Y6	2,1	6	28,0	33,60
012014008	6N11A-3A	12	80	122**	61	135		Y6	2,37	10	38,0	45,60
<b>FRESH PACK - standard technology - 12 volt - with acid bottle</b>												
503012001	YB3L-A	3	10	100**	58	112		Y6	1,46	10	23,4	28,08
503013001	YB3L-B	3	10	100**	58	112		Y6	1,46	10	26,0	31,20
505012003	12N5-3B YB5L-B	5	30	121**	61	131		Y6	2,11	10	23,7	28,44
506011004	12N5.5-3B	6	40	136**	61	131		Y6	2,39	10	25,5	30,60
506012004	12N5.5A-3B	6	40	103	90	114		Y6	2,16	6	30,0	36,00
507012004	12N7-3B YB7L-B	7	40	136**	76	134		Y6	3,05	5	33,3	39,96
507013004	12N7-4A	7	40	135	75	133		Y6	2,86	6	35,0	42,00
508013008	YB7-A	8	80	137**	76	134		Y6	3,05	5	35,8	42,96
509015008	12N9-3B YB9L-B	9	80	136**	76	140		Y6	3,39	5	40,3	48,36
511012009	12N10-3A / 12N10-3A-1 12N10-3A-2 / YB10L-A2	11	90	136**	91	146		Y6	4,46	5	41,5	49,80
511013009	12N10-3B YB10L-B	11	90	136**	91	146		Y8	4,20	5	42,3	50,76
512011012	12N12A-4A-1 YB12A-A	12	120	136**	82	161		Y6	4,46	5	39,9	47,88
512013012	YB12AL-A YB12AL-A2	12	120	136**	82	161		Y6	4,46	5	45,0	54,00
514012014	YB14-A2	14	140	136**	91	168		Y8	5,14	5	44,1	52,92
514013014	YB14L-B2	14	140	136**	91	168		Y8	5,14	5	44,1	52,92
514014014	YB14-B2	14	140	134	89	166		Y8	4,61	6	51,0	61,20

ETN	JIS code	Capacity [20h] (EN)	CCA -18°C (EN)	Dimensions [mm]			Layout	Pole	Weight with acid [kg]	Qty per carton	Listino al pubb. Iva esiscusa	Listino al pubblico Iva inclusa
				L	W	H						
514401019	YB14A-A2	14	190	134	89	176		Y8	4,61	6	51,0	61,20
516015016	YB16B-A YB16B-A1	16	160	160**	90	161		Y4	5,47	5	87,3	104,76
516016012	YB16AL-A2	16	120	205**	72	164		Y2	5,62	5	66,5	79,80
518014015	51814	18	150	186**	82	171		Y10	6,17	5	78,2	93,84
518015018	YB18L-A	18	180	181**	92	164		Y7	6,35	5	93,3	111,96
519011019	YB16L-B	19	190	176**	101	156		Y6	6,66	5	71,0	85,20
519012019	YB16-B	19	190	176**	101	156		Y6	6,66	5	69,2	83,04
519014018	YB16CL-B	19	180	176	101	176		Y5	7,07	5	82,1	98,52
520012020	Y50-N18L-A Y50N18L-A2	20	200	207**	92	164		Y7	7,18	5	74,4	89,28
520016020	SY50-N18L-AT	20	200	205	90	162		Y7	6,19	3	72,0	86,40
524101020	12N24-4	24	200	186	125	178		Y3	8,46	1	95,1	114,12
525015022	52515 Y60-N24L-A	25	220	186**	130	171		Y3	8,72	1	90,8	108,96
528450030	U 1 (9)	28	300	196	131	183		Y14	8,00	1	90,0	108,00
528451030	U 1R (9)	28	300	196	131	183		Y14	8,00	1	90,0	108,00
530400030	YB30L-B	30	300	168	132	176		Y4	8,98	2	95,0	114,00